

APPROVED LABEL: FarmVet TAPE DOSE
MAIN PANEL

FOR ANIMAL USE ONLY

SLEGS VIR DIEREGERBRUIK

FarmVet TAPE DOSE ® †
Reg. No. G3983 Act/Wet 36/1947

Oral liquid tapeworm remedy against intestinal and hepatic tapeworms in sheep, and tapeworms in cattle and ostriches.

Orale vloeibare lintwurmmiddel teen lintwurms van die dunderm en lewer in skape, en lintwurms in beeste en volstruise.

CAUTION • VERSIGTIG

STORE IN A COOL, DRY PLACE.
BERG IN 'N KOEL, DROË PLEK.

Contains/Bevat:

Praziquantel/Prasikwantel 2, 5 % m/v

200 ml (500 ml, 1 l, 2 l, 5 l, 10 l)

Registration holder/Registrasiehouer:

FARMVET ANIMAL HEALTH (PTY) LIMITED

Co./Mpy. Reg. No. 2011/006806/07

P O Box/Posbus 10413, ASTON MANOR 1630, Gauteng, R.S.A.

Tel/Fax: 011 396 2233

† Isoquinoline/Isokwinalien

Lot No.:

Expiry/Verval:

AMENDMENT TO LABEL (G3983)

1. Trade name change
 2. Registration holder: Company name change
- Submitted: April 2013 (1st Draft)

Page 1 of 3

APPROVED LABEL SIDE PANELS: FarmVet TAPE DOSE

WARNINGS

- **Withdrawal period: NIL**
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED
SHAKE WELL BEFORE USE.
DOSE ORALLY.

May be used in animals of all ages and pregnant sheep.

WAARSKUWINGS

- **Onttrekkingsperiode: NUL**
- Hou buite die bereik van kinders, oningeligte persone en diere.
- Alhoewel hierdie produk breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

SKUD GOED VOOR GEBRUIK

DIEN ORAAL TOE.

Mag in diere van alle ouderdomme en dragtige skape gebruik word.

Animal/Dier	Tapeworm species/Lintwurm spesie	Dose/Dosis
Cattle/Beeste	Milk tapeworm/Melklintwurm (<i>Moniezia</i> spp.)	2 m□/10 kg
Sheep/Skape	Milk tapeworm/Melklintwurm (<i>Moniezia</i> spp.)	2 m□/10 kg
	Serrated tapeworm/Geriffelde lintwurm (<i>Thysaniezia</i> spp.)	
	Narrow tapeworm/Dunlintwurm (<i>Avitellina</i> spp.)	3 m□/10kg
	Liver tapeworm/Lewerlintwurm (<i>Stilesia hepatica</i>)	4 m□/10 kg
Ostriches/Volstruise	Ostrich tapeworm/Volstruislintwurm (<i>Houttuynia struthionis</i>)	3 m□/10 kg

EXAMPLE/VOORBEELD:

DOSE/DOSIS	2 m□/10 kg				3 m□/10 kg				4 m□/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (m□)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 200 m□	100	50	33	25	66	33	22	16	50	25	16	12

DOSE/DOSIS	2 m□/10 kg				3 m□/10 kg				4 m□/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (m□)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 500 m□	250	125	83	62	166	83	55	41	125	62	41	31

DOSE/DOSIS	2 m□/10 kg				3 m□/10 kg				4 m□/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (m□)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 1 □	500	250	166	125	333	166	111	83	250	125	83	63

DOSE/DOSIS	2 m□/10 kg				3 m□/10 kg				4 m□/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (m□)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 2 □	1000	500	333	250	666	333	222	166	500	250	166	125

DOSE/DOSIS	2 m□/10 kg				3 m□/10 kg				4 m□/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (m□)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 5 □	5000	2500	833	625	1666	833	555	416	2500	625	416	312

AMENDMENT TO LABEL (G3983)

1. Trade name change
 2. Registration holder: Company name change
- Submitted: April 2013 (1st Draft)

Page 2 of 3

DOSE/DOSIS	2 m□/10 kg				3 m□/10 kg				4 m□/10 kg			
Body mass/Liggaamsmassa (kg)	10	20	30	40	10	20	30	40	10	20	30	40
Dose/Dosis (m□)	2	4	6	8	3	6	9	12	4	8	12	16
No of doses/Aantal dosisse in 10 □	10000	5000	1666	1250	3333	1666	1111	833	5000	1250	833	625

EFFICACY/DOELTREFFENDHEID		
Animal/Dier	Tapeworm species/Lintwurm spesie	Class/Klas
Cattle/Beeste	Milktapeworm/Melklintwurm (<i>Moniezia</i> spp.)	I
Sheep/Skape	Milk tapeworm/Melklintwurm (<i>Moniezia</i> spp.)	I
	Serrated tapeworm/Geriffelde lintwurm (<i>Thysaniezia</i> spp.)	
	Narrow tapeworm/Dunlintwurm (<i>Avitellina</i> spp.)	II
	Liver tapeworm/Lewerlintwurm (<i>Stilesia hepatica</i>)	II
Ostriches/Volstruise	Ostrich tapeworm/Volstruislintwurm (<i>Houttuynia struthionis</i>)	I

Explanation/Verduideliking:

Class/Klas I: 100 % effective in more than 80 % of the treated animals.
100 % doeltreffend in meer as 80 % van die behandelde diere.

Class/Klas II: 100 % effective in more than 60 % of the treated animals.
100 % doeltreffend in meer as 60 % van die behandelde diere.